

High Performance 4-Stroke Motorcycle Engine Oil

Product Description

Relyant® High Performance 4-Stroke Motorcycle Engine Oil is engineered to protect vital engine components under intense operating conditions. Blended with proprietary additive technology, this oil delivers outstanding wear protection, sludge resistance, and high thermal stability, even in systems with wet clutch configurations. It controls oxidation and varnish, protects against corrosion and rust, and offers strong film strength at high temperatures to help extend engine service life.

Key Features & Benefits

- Wet Clutch Compatibility – Engineered for high-performance motorcycles with integrated wet clutch systems.
- Superior Deposit Control – Keeps engines cleaner and minimizes sludge formation.
- Exceptional Wear Protection – Reduces friction and extends engine life.
- High Film Strength – Maintains protection at elevated operating temperatures.
- Corrosion Resistance – Protects critical parts from moisture and chemical degradation.

Recommended Applications

- Designed for 4-stroke motorcycle engines in racing, street, and off-road conditions.
- Suitable for high-performance motorcycles requiring JASO MB type oil.

Typical Properties

Property	5W-30	10W-30	10W-40	20W-40	20W-50
Viscosity @ 40°C (cSt)	63	68.5	95	145	160
Viscosity @ 100°C (cSt)	10.5	10.5	14	15	18.2
Viscosity Index	150	140	150	104	127
Flash Point °F (COC)	410	415	425	420	430
Pour Point °F	-35	-30	-25	-20	-15
API Gravity	35.0	31.1	31.1	29.3	28.7
Density @ 60°F (lb/gal)	7.17	7.26	7.26	7.33	7.36
Appearance	Amber	Amber	Amber	Amber	Amber

*The values shown are typical of current production. Some are controlled in the manufacturing process while others are not. All of them may vary within tolerable ranges.